



FIXED ATTENUATOR MVE2211H-XX

SMA 2W
DC to 8GHz

Features

- ✓ Frequency Range: DC to 8GHz
- ✓ High Accuracy
- ✓ Apply to Wi-Fi 6 testing



Specifications

PART NUMBER	IMPEDANCE	FREQUENCY	STANDARD VALUE	VSWR	AVERAGE POWER	CONNECTOR TYPE
MVE2211H-XX	50 ohms	DC - 8GHz	1,2,3,5,6, 10,20,30,40,50	1.25:1	2Watts @25°C	SMA

-XX: Insert dB value desired

ATTENUATION ACCURACY

- 1-10dB: ± 0.6 dB MAX.
- 11-20dB: ± 0.6 dB MAX.
- 30dB: ± 0.75 dB MAX.
- 40dB: ± 1.0 dB MAX.
- 50dB: ± 1.2 dB MAX.
- 60dB: ± 1.4 dB MAX.

MATERIAL/FINISH


BODY: STAINLESS STEEL, PASSIVATED

ENVIRONMENTAL

TEMPERATURE RANGE: -55°C TO +125°C

Tolerance: ± 1 mm

Outline Drawing (Unit: mm)



Note 1.

From 1dB to 30dB, length is 27 $\pm$ 1mm

From 40dB to 60dB, length is 30 $\pm$ 1 mm


NOTES:

1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY






Typical Test Result (MVE2211H-01)



(MVE2211H-02)




NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY






(MVE2211H-03)



(MVE2211H-05)




NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY






(MVE2211H-06)



(MVE2211H-10)



NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY






(MVE2211H-20)



(MVE2211H-30)




NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY






(MVE2211H-40)



(MVE2211H-50)




NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY





(MVE2211H-60)



NOTES:
1. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME
2. CUSTOMER OUTLINE DRAWING FOR REFERENCE ONLY

